

## INVITATION OF RATES / QUOTATION FOR INSTALLATION / REPLACEMENT OF SUBMERSIBLE IN THE COLLEGE.

S.No.	Tech. Spec.	Unit	Remark
ı	4 inches Bore well size.  Make: CRI, Sureya, Lubi, Crompton Grieves.	50 Feet depth	
2.	Submersible installed at	45 Feet depth	
3.	1.5 HP. Single phase,(submersible will be of 5- to 10 stages) Make: CRI, Sureya, Lubi, Crompton Grieves. With starter and connected wire with PVC pipe wiring.	One Set.	
4.	3 core, 4 mmsq.	Wire 38 Mtrs.	As per actual
5.	GI- Pipe - 1.25 inches. Make: GE, Sureya	50 Feet	(if required)
6.	P.V.C pipe, 1" Wire: Havels Finolex.	50 Feet	As per actual

## Note:

- The contract shall be for the full quantity of any part as described above. Correction, if any, shall be made by crossing out, initialing dating and re-writing.
- b) All duties, taxes and other levies payable by the supplier under the contract shall be included in the total price.
- c) Taxes should be show separate in the quotation and invoice.
- d) Cleaning material / items etc quality should be get approved by the College before placing the quotation / rates.
- The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account
- The prices should be quoted in Indian Rupee only.
- g) Each bidder shall submit only one quotation after visit the project side.
- h) Payment 100% on successful work done / installation.
- i) You are requested to provide your offer latest by 17:00 hours on or before 24.08.2018.
- All work related risks will be pertains to vendor only.
- k) Vendor should manage are resources and not to demand any item / help from the College.
- Workers should be in proper dress and decent in working / speaking with staff members.
- m) To survey the work/job type you may contact Mr. Jugal Kishor / Mr. Vikram Kumar for the same.
- n) No Night Stay of worker, Using of tobacco of any type is strictly not allowed in the College campus.
- Without permission no over stay after 7:00 pm.
- Labour charges / transportation charges / any of other charges should be clearly stated in the quotations.